

Listing of claims:

1. (Currently amended) A fusible quilt batt comprising:
a non-woven fibrous web selected to provide loft to a quilt; and
a thermoplastic adhesive in the web, wherein the adhesive
provides at an elevated temperature a tackiness sufficient to attach a quilt
cover to the fusible quilt batt, and
allows an attached quilt cover to be removed from the fusible quilt batt at
room temperature.
2. (Currently amended) A fusible quilt batt according to Claim 1, wherein after
an attached quilt cover has been removed from the fusible quilt batt, the adhesive
provides at an elevated temperature a tackiness sufficient to attach a quilt cover to the
fusible quilt batt.
3. (Original) A fusible quilt batt according to Claim 1, wherein the adhesive binds
the fibers of the web.
4. (Currently amended) The fusible quilt batt of claim 1, wherein the adhesive
remains substantially in the web during removal of an attached quilt cover from the fusible
quilt batt.
5. (Currently amended) The fusible quilt batt of claim 1, wherein the adhesive
is selected from the group consisting of an acrylic, a vinyl acrylic, a vinyl acetate, and an
ethylene vinyl acetate.

6. (Currently amended) The fusible quilt batt of claim 1, wherein the web includes fiber selected from the group consisting of cotton, polyester, rayon, nylon and wool.
7. (Currently amended) The fusible quilt batt of claim 1, wherein the web includes cotton and a polyester.
8. (Currently amended) The fusible quilt batt according to Claim 1, wherein the adhesive is ~~Parachem AC 786~~ an acrylic adhesive.
9. (Currently amended) A fusible quilt batt comprising:
a non-woven fibrous web selected to provide loft to a quilt; and
a thermoplastic adhesive disposed on a surface of the web, the adhesive having a first level of tackiness as manufactured allowing the fusible quilt batt to be folded onto itself and unfolded without damaging the fusible quilt batt.
10. (Original) The fusible quilt batt according to Claim 9, wherein the adhesive has a second level of tackiness, greater than the first level, at an elevated temperature.
11. (Currently amended) The fusible quilt batt according to Claim 10, wherein the elevated temperature is ~~greater than the maximum temperature to which the batt is normally exposed during shipping from a manufacturing location to a retail sales location~~ substantially above normal room temperature.

12. (Currently amended) The fusible quilt batt according to Claim 10, wherein a quilt cover material may be affixed to the fusible quilt batt when the adhesive is at the elevated temperature.

13. (Currently amended) The fusible quilt batt according to Claim 12, wherein a quilt cover material which has been affixed to the fusible quilt batt when the adhesive is at the elevated temperature may be removed from the fusible quilt batt at room temperature.

14. (Currently amended) The fusible quilt batt according to Claim 13, wherein after a quilt cover material has been removed from the fusible quilt batt at room temperature, a quilt cover material may be affixed to the fusible quilt batt when the adhesive is at the elevated temperature.

15. (Currently amended) The fusible quilt batt according to Claim 12, wherein a quilt cover material which has been affixed to the fusible quilt batt when the adhesive is at the elevated temperature may be removed from the fusible quilt batt at an elevated temperature.

16. (Currently amended) The fusible quilt batt according to Claim 15, wherein after a quilt cover material has been removed from the fusible quilt batt at an elevated temperature, a quilt cover material may be affixed to the fusible quilt batt when the adhesive is at the elevated temperature.

17. (Currently amended) The fusible quilt batt according to Claim 9, wherein the adhesive is ~~Parachem AC 786~~ an acrylic adhesive.

18. (Original) The fusible quilt batt according to Claim 9, wherein a portion of the adhesive insinuates into the web, and binds together fibers forming the web.